Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	✓ 26	explict$3 rout$3 OR explict$3 ADJ2 rout$3 OR ER$1LSP$2 OR ER ADJ1 LSP$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:01
L2	3539	label$3 ADJ1 switch$3 ADJ1 path$1 OR LSP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:11
L3	7991	foward$3 ADJ1 equivalenc$3 ADJ1 class$3 OR FEC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:04
L4	✓ 204	L2 AND L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:06
L5	✓ 11	("20020136230" | "5809021" | "6295296" | "6374303" | "6408001" | "6438137" | "6473421" | "6477166" | "6512744" | "6529958" | "6721334").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 16:22
L6	0	("6801545").URPN.	USPAT	OR	OFF	2006/02/01 16:27
L7	✓ 7	L2 AND 370/412,428-429. ccls.	USPAT	OR	OFF	2006/02/01 16:29
L8	✓ 50	(label$3 ADJ1 switch$3 ADJ1 path$1 OR LSP OR MPLS) AND "707"/$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:37
L9	4466	label$3 ADJ1 switch$3 MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:41
L11	254	(index$3 OR pointer$1 OR ptr$1) WITH (QoS OR quality ADJ1 of ADJ1 servic$3 OR qualit$3of$3servic$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:03
L12	✓ 17	L9 AND L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:41

L13	12695	(index$3 OR pointer$1 OR ptr$1) WITH profil$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:41
L15	4466	label$3 ADJ1 switch$3 OR label$3switch$3 Or MPLS	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:41
L16	✓ 13	L15 AND L13	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:42
L18	4484	type$1 ADJ1 length$3 ADJ1 valu$4 OR typ$3length$3value$1 OR tlv	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:44
L19	✓ 105	L15 AND L18	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:51
L20	✓ 7	er$1hop$1 OR er ADJ1 hop$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:53
L21	✓ 5	L13 AND (label$3 ADJ1 switch$3 ADJ1 path$1 OR LSP)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:55
L22	564	profil$3 WITH (QoS OR quality ADJ1 of ADJ1 servic$3 OR qualit$3of$3servic$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:55
L23	✓ 39	profil$3 WITH (QoS OR quality ADJ1 of ADJ1 servic$3 OR qualit$3of$3servic$3) SAME (index$3 OR pointer$1 OR ptr$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:56
L24	1169	label$3 ADJ1 switch$3 ADJ1 path$1 OR LSP WITH (request$3 OR releas$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:11
L25	✓ 28	L24 SAME (index$3 OR pointer$1 OR ptr$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:14

L26	✓ 22	L24 SAME profil$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:19
L28	✓ 47	(constrain$3 ADJ2 bas$3 OR constain$3bas$3) ADJ1 (label$3 ADJ1 switch$3 OR LSP) OR CR$1LSP$2 OR CR ADJ1 LSP$2	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:23
L29	185	(inter$1link$3 OR inter ADJ1 link$3) WITH profil$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:24
L30	✓ 49	((index$3 OR pointer$1 OR ptr$1) AND (label$3 ADJ1 switch$3 ADJ1 path$1 OR LSP)) .clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:04
L31	✓ 30	((index$3 OR pointer$1 OR ptr$1) AND (foward$3 ADJ1 equivalenc$3 ADJ1 class$3 OR FEC)) .clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:05
L32	✓ 9	(L2 AND L3) .clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:06